



700 West Liberty Street | Louisville, KY 40203-1911
Phone: 502.540.6000 | LouisvilleMSD.org

November 22nd, 2023

Crystal Dennis
300 Sower Blvd., 3rd Floor
Frankfort, Kentucky 40601

**RE: SORF STP, KPDES No: KY0111716
Discharge Monitoring Report for October 2023.**

Dear Ms. Dennis:

Attached are the Discharge Monitoring Report (DMR) for the SORF STP, for the month October 2023.

There were no overflows, exceedances, or bypasses.

If you have any questions concerning the attached DMR's, please contact me at (502) 264-2804.

Sincerely,

Alex Smither
Process Supervisor

CAS/SORF 8/23.

Cc: V. Teague, B. Tinnel

80082	BOD, carbonaceous [5 day, 20 C]	G - Raw Sewage Influent	0	--	Sample					=	185.0	=	223.0	19 - mg/L	01/07 - Weekly	24 - COMP24
					Permit Req.						Req Mon MO AVG		Req Mon MX WK AV	19 - mg/L	01/07 - Weekly	24 - COMP24
					Value NODI											
80091	BOD, carb-5 day, 20 deg C, percent removal	K - Percent Removal	0	--	Sample					=	98.0			23 - %	01/30 - Monthly	CA - CALCTD
					Permit Req.					>=	85.0 MO AV MN			23 - %	01/30 - Monthly	CA - CALCTD
					Value NODI											
81011	Solids, suspended percent removal	K - Percent Removal	0	--	Sample					=	99.2			23 - %	01/30 - Monthly	CA - CALCTD
					Permit Req.					>=	85.0 MO AV MN			23 - %	01/30 - Monthly	CA - CALCTD
					Value NODI											

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
SORF_Cover_10_23.pdf	pdf	34787.0

Report Last Saved By

Louisville and Jefferson County MSD

User: ALEX.SMITHER@LOUISVILLEMSD.ORG
 Name: Charles Smither
 E-Mail: alex.smither@louisvillemmsd.org
 Date/Time: 2023-11-22 12:00 (Time Zone: -05:00)

Report Last Signed By

User: ALEX.SMITHER@LOUISVILLEMSD.ORG
 Name: Charles Smither
 E-Mail: alex.smither@louisvillemmsd.org
 Date/Time: 2023-11-22 12:01 (Time Zone: -05:00)